



Ankeny Fire Department Ankeny Fermit (Open Burr Operational Permit (Open Burning)

 Water available under pressur Constant Supervision of Burn Cease Burning If Wind Exceed Sparks Onto Neighboring Property Contact Polk Co. Air Quality Invalidate this permit 	ls 10 M.P.H. Or If Wind Is Carrying Smoke Or
 Constant Supervision of Burn 1 Cease Burning If Wind Exceed Sparks Onto Neighboring Proproduct Polk Co. Air Quality I validate this permit). 	Until Completely Extinguished ls 10 M.P.H. Or If Wind Is Carrying Smoke Or perty. Division at 515-286-3351(This must be done to
 Water available under pressur Constant Supervision of Burn Cease Burning If Wind Exceed Sparks Onto Neighboring Prop Contact Polk Co. Air Quality I 	Until Completely Extinguished ls 10 M.P.H. Or If Wind Is Carrying Smoke Or perty.
 Water available under pressur Constant Supervision of Burn Cease Burning If Wind Exceed 	Until Completely Extinguished ls 10 M.P.H. Or If Wind Is Carrying Smoke Or
Water available under pressurConstant Supervision of Burn	Until Completely Extinguished
> Water available under pressur	**
Fire Department Stipulation	
Detailed Explanation:	
Burning Hours: ☐ 7:00 a.m. – Dus	k Other
Permit Dates: From	to
Fax #·	E-Mail Address:
Phone #:	Local Phone #:
Address:	
Name:	
Company:	
Fermit Location.	
Permit Location:	