

Tuesday, September 15, 2020



Dr. Meg Schaeffer





••

Central Iowa COVID19 Update

Quick Stats¹

	Polk County	lowa
7d Lab Test Positivity	7%	8%
14d Lab Test Positivity	7%	9%
Total cases per 100,000	127	125
Average daily cases the last 7d	89	569

¹All data are sourced from <u>https://coronavirus.iowa.gov/pages/case-counts</u> with previous days refreshed daily. When recent data are unavailable, data from <u>https://github.com/nytimes/covid-19-data</u> may be used. Population used is 490,161. Averages and percent positivity are subject to change with retrospectively refreshed data.

Critical Points

- Polk County and Iowa are gradually decreasing, though all averages and positivity are impacted by Iow levels of testing over Labor Day weekend.
- Polk County is close to reaching the goal of 100 cases per 100,000 (the past 7 days), and an average daily case counts less than 70.

			CASES		WEEKLY CASES PER CAPITA	
	TOTAL CASES	PER 100,000	IN LAST 7 DAYS	▼ PER 100,000	FEWER	MORE
+ North Dakota MAP »	15,834	2,078	1,945	255	March 1	Sept. 13
+ South Dakota MAP »	16,801	1,899	1,529	173		
+ Missouri MAP »	105,848	1,725	9,620	157		
+ Oklahoma MAP »	70,223	1,775	5,747	145		
Guam	2,896	1,719	244	145		
+ Wisconsin MAP »	95,564	1,641	8,317	143		
+ Arkansas MAP »	70,627	2,340	4,295	142		
+ Iowa MAP »	74,949	2,376	4,465	142		
+ South Carolina MAP »	132,680	2,577	6,912	134		
+ Alabama MAP »	139,459	2,844	6,441	131		

NYT US Activity


Research & Media

- A study of more than 25,000 respondents found the three most common protective behaviors taken were handwashing (94.7%), keeping a 6-foot distance from others (90.1%), and wearing a mask (86.2%). Persons with a close friend or family member who died of COVID-19 were more likely to have taken protective measures than those who did not. Females, persons of non-White race, persons living in larger households, older adults, and persons with comorbidities took more protective measures. It is important to note these results were self-reported.
- https://www.mdpi.com/1660-4601/17/17/6295
- Another study confirms improvement in clinical outcomes with the use of dexamethasone in seriously ill COVID-19 patients.
- https://jamanetwork.com/journals/jama/fullarticle/2770277
- A review of 3,222 young adults hospitalized for COVID-19 found substantial rates of adverse outcomes (including 684 in ICU), despite an in-hospital mortality rate lower than reported for older adults.


https://jamanetwork.com/journals/jamainternalmedicine/fullarticle/2770542

•••


Polk County Cases by Day and 7d Moving Average





Iowa Cases by Day and 7d Moving Average




Polk County Activity View

















••

Polk County, IA





https://covid.cdc.gov/coviddata-tracker/#mobility